


	Pin 1	Pin2
Fan control	DC 5 V	0 V
FVOA IL control	Pin 3	Pin 4
fiber core <= 62.5um	DC 0 ~ 5.5V	0 V
fiber core 105um	DC 0~14.5V	0 V

UNLESS OTHERWISE SPECIFIED:					NAME	DATE	DO NOT SCALE DRAWING		REVISION		
<div>1.DO NOT SCALE DRAWING. 2. INTERPRET PER ASME Y14.100M. 3.DIMENSIONS ARE IN METRIC. 4.SURFACE TEXTURE SHALL BE 125 5.REMOVE BURRS AND SHARP EDGES 6.DIMENSIONS APPLY BEFORE PLATING OR CONVERSION COATING. 7.PARENTHEICAL DATA IS FOR REFERENCE ONLY</div>	TOLERANCES:						<div></div>		TITLE: <div>FVOA WITH FAN</div>		
	ON ALL HOLE DIAMETERS				DRAWN						
	Under 1.0	+0.05 -0.01	25 THRU 50	+0.2 -0.1	CHK'D						
	1.0 THRU 5.0	+0.1 -0.025	>50	+0.25 -0.1	APPV'D						
	5.0 THRU 10.0	+0.15 -0.025			MFG						
	10.0 THRU 25	+0.2 -0.025			Q.A						
	ON DECIMAL DIMENSIONS:		ON ANGULAR DIMENSIONS:		MATERIAL:		DWG NO.			A3	
	.XXX +/-0.010 .XX +/-0.03 .X +/-0.1		MACHINED +/-0°30' LOCATING +/-0°30' FORMED +/-2° CHANFERS +/-5°								
					WEIGHT:		SCALE:1:2			SHEET 1 OF 1	